

Package: RGIFT (via r-universe)

September 5, 2024

Version 0.1-7

Encoding UTF-8

Date 2024-02-07

Title Create Quizzes in GIFT Format

Author María José Haro-Delicado, Virgilio Gómez-Rubio and Francisco Parreño-Torres

Maintainer Virgilio Gómez-Rubio <virgilio.gomez@uclm.es>

Depends R (>= 2.10.0)

Suggests foreign

Description Implementation of some functions to create quizzes in the GIFT format. This format is used by several Virtual Learning Environments such as Moodle.

License GPL (>= 2)

URL https://docs.moodle.org/21/en/GIFT_format

Repository <https://becarioprecario.r-universe.dev>

RemoteUrl <https://github.com/becarioprecario/rgift>

RemoteRef HEAD

RemoteSha a718c38626d55f24b0355274b882673b7c0ca726

Contents

| | |
|--------------|----------|
| GIFT | 2 |
| GIFTD | 3 |
| GIFTE | 3 |
| GIFTM | 4 |
| GIFTMC | 5 |
| GIFTMW | 6 |
| GIFTNQ | 6 |
| GIF TSA | 7 |
| GIFTTF | 8 |
| Index | 9 |

GIFT

Some functions to create questionnaires in the GIFT format.

Description

Functions to add comments, category and names to questions in GIFT format.

Usage

```
GIFTcomment(txt)
GIFTcategory(catname)
GIFTQName(qname)
```

Arguments

| | |
|---------|-----------------------|
| txt | Text for the comment. |
| catname | Category name. |
| qname | Question name. |

Details

These functions use the `cat()` function to format the comment, category or question name in GIFT format and print them. Use of the `sink()` function is advised to send the output to a text file.

Value

No value is returned but some text is printed.

Author(s)

Virgilio Gómez-Rubio <virgilio.gomez@uclm.es>

See Also

https://docs.moodle.org/21/en/GIFT_format

Examples

```
GIFTcomment("Some examples")
GIFTcategory("Example")
GIFTQName("Question Name")
```

| | |
|-------|-----------------------------------|
| GIFTD | <i>Description in GIFT format</i> |
|-------|-----------------------------------|

Description

This function prints a Description text in GIFT format.

Usage

```
GIFTD(qtxt)
```

Arguments

| | |
|------|--------------------------|
| qtxt | Text of the description. |
|------|--------------------------|

Details

This function uses the `cat()` function to print a Description in the GIFT format. No question is made but a text is printed. Use of the `sink()` function is advised to send the output to a text file.

Value

No value is returned but some text is printed.

Examples

```
#Description 1  
GIFTD("R is a language for data analysis.")
```

| | |
|-------|-----------------------------|
| GIFTE | <i>Essay in GIFT format</i> |
|-------|-----------------------------|

Description

This function prints an Essay in GIFT format.

Usage

```
GIFTE(qtxt)
```

Arguments

| | |
|------|-----------------------|
| qtxt | Text of the question. |
|------|-----------------------|

Details

This function uses the `cat()` function to print an Essay in the GIFT format. In this question, the user is asked to write down an essay in a text box. Use of the `sink()` function is advised to send the output to a text file.

Value

No value is returned but some text is printed.

Examples

```
#Question 1
GIFTE("Write a few words about the R programming language.")
```

GIFTM

Matching Question in GIFT format

Description

This function prints a Matching Question in GIFT format.

Usage

```
GIFTM(qtxt, group1, group2)
```

Arguments

| | |
|---------------------|---------------------------------|
| <code>qtxt</code> | Text of the question. |
| <code>group1</code> | First group of words to match. |
| <code>group2</code> | Second group of words to match. |

Details

These functions use the `cat()` function to print a Matching Question in the GIFT format. In this questions, the user is given two list of words to be matched. Use of the `sink()` function is advised to send the output to a text file.

Value

No value is returned but some text is printed.

Examples

```
#Question 1
GIFTM("Match the following operations to their respective R commands:",
      c("mean", "variance", "standard deviation"), c("mean()", "var()", "sd()"))
```

GIFTMC

Multiple Choice Question in GIFT format

Description

This function prints a Multiple Choice Question in GIFT format.

Usage

```
GIFTMC(qtxt, anstxt, rightans=1, wright=NULL, wwrong=NULL)
```

Arguments

| | |
|----------|--|
| qtxt | Text of the question. |
| anstxt | Vector of short answers. |
| rightans | Position of right answers in anstxt. |
| wright | Vector of weights for the right answer. |
| wwrong | Vector of weights for the wrong answers. |

Details

These functions use the `cat()` function to print a Multiple Choice Question in the GIFT format. In this questions, the user is asked to select one or more answers. Use of the `sink()` function is advised to send the output to a text file.

If there are more than one right answer the length of `anstxt` and `wright` must be the same. In addition, if one of the elements in `wright` is "100" then only one answer can be chosen. Otherwise, the user can select several right answers (in this case remember to use negative weights for the wrong answers!).

Value

No value is returned but some text is printed.

Examples

```
#Question 1
GIFTMC("What's the mean of 1, 2, and 3?", c("1", "2", "3"), rightans=2,
       wwrong="-33.333")
```

GIFTMW

Missing Word Question in GIFT format

Description

This function prints a Missing Word Question in GIFT format.

Usage

```
GIFTMW(qtxt1, qtxt2, anstxt, rightans)
```

Arguments

| | |
|----------|--|
| qtxt1 | First part of the text of the question. |
| qtxt2 | Second part of the text of the question. |
| anstxt | Vector of short answers. |
| rightans | Position of the right answer in anstxt. |

Details

These functions use the `cat()` function to print a Missing Word Question in the GIFT format. In this question, the user is asked to select a missing word which should go between 'qtxt1' and 'qtxt2'. Use of the `sink()` function is advised to send the output to a text file.

Value

No value is returned but some text is printed.

Examples

```
#Question 1
GIFTMW("With the command ", " we can compute the mean of a vector of values",
       c("mean()", "sd()", "var()"), rightans=1)
```

GIFTNQ

Numeric Question in GIFT format

Description

This function prints a Numeric Question in GIFT format.

Usage

```
GIFTNQ(qtxt, ans, err=0)
```

Arguments

| | |
|------|-----------------------|
| qtxt | Text of the question. |
| ans | Numeric answer. |
| err | Error allowed. |

Details

These functions use the `cat()` function to print a Numerical Question in the GIFT format. In this question, the user is asked to write down a number. Use of the `sink()` function is advised to send the output to a text file.

The range of answers allowed is 'ans' plus/minus 'err' unless 'ans' is of length 2. In that case, the range of valid answers is `ans[1]` to `ans[2]`.

Value

No value is returned but some text is printed.

Examples

```
#Question 1
GIFTNQ("What's the mean of vector c(.4, .4, .5, .3)",
       as.character(mean(c(.4, .4, .5, .3))), .01)
```

GIF TSA

Short Answer Question in GIFT format

Description

This function prints a Short Answer Question in GIFT format.

Usage

```
GIF TSA(qtxt, anstxt, wright="100")
```

Arguments

| | |
|--------|--|
| qtxt | Text of the question. |
| anstxt | Vector of short answers. |
| wright | Vector of weights for the right questions. |

Details

These functions use the `cat()` function to print a Short Answer Question in the GIFT format. In this questions, the user is asked to write a short answer down. Use of the `sink()` function is advised to send the output to a text file.

If there are more than one right answer the length of `anstxt` and `wright` must be the same and one of the weights should be equal to "100" (i.e., completely right answer).

Value

No value is returned but some text is printed.

Examples

```
#Question 1
GIFTF("The mean of 1, 2, and 3 is", c("Two", "2"), wright = c("100", "100"))

#Question 2
GIFTF("Compute the mean of 1, 2 and 3",
      c("mean(c(1,2,3))", "sum(c(1,2,3))/3", "sum(c(1,2,3))/length(c(1,2,3))", "(1+2+3)/3"),
      wright=c("100", "75", "75", "50"))
```

 GIFTF

True-False Question in GIFT format

Description

This function prints a True-False Question in GIFT format.

Usage

```
GIFTF(qtxt, ans)
```

Arguments

| | |
|------|--|
| qtxt | Text of the question. |
| ans | Either TRUE or FALSE depending on whether the question is true or false. |

Details

These functions use the `cat()` function to print a True-False Question in the GIFT format. In this question, the user is asked to select whether the statement in the question is true or false. Use of the `sink()` function is advised to send the output to a text file.

Value

No value is returned but some text is printed.

Examples

```
#Question 1
GIFTF("The mean of 1, 2, and 3 is 3?", TRUE)

#Question 2
GIFTF("The command to compute the mean is sd()", FALSE)
```


Index

* misc

- GIFT, [2](#)
- GIFTD, [3](#)
- GIFTE, [3](#)
- GIFTM, [4](#)
- GIFTMC, [5](#)
- GIFTMW, [6](#)
- GIFTNQ, [6](#)
- GIFTSA, [7](#)
- GIFTTF, [8](#)

- GIFT, [2](#)
- GIFTcategory (GIFT), [2](#)
- GIFTcomment (GIFT), [2](#)
- GIFTD, [3](#)
- GIFTE, [3](#)
- GIFTM, [4](#)
- GIFTMC, [5](#)
- GIFTMW, [6](#)
- GIFTNQ, [6](#)
- GIFTparse (GIFT), [2](#)
- GIFTQName (GIFT), [2](#)
- GIFTSA, [7](#)
- GIFTTF, [8](#)